

101 799 221

WOODARD, EMHARDT, MORIARTY, MCNETT & HENRY LLP

JACK V. MORIARTY
 JOHN C. MCNETT
 THOMAS O. HENRY,
 JAMES M. DURLACHER
 CHARLES R. REEVES
 VINCENT O. WAGNER
 STEVE ZLATOS
 SPIRO BEREVESKOS
 R. RANDALL FRISK
 DANIEL J. LUEDERS
 KENNETH A. GANDY
 TIMOTHY N. THOMAS

KURT N. JONES
 HOLIDAY W. BANTA
 TROY J. COLE
 CHARLES J. MEYER
 LISA A. HIDAY
 CHRISTOPHER A. BROWN
 SCOTT J. STEVENS
 CHARLES P. SCHMAL
 JOHN M. BRADSHAW
 QUENTIN G. CANTRELL
 JOHN J. EMANUELE
 MICHAEL S. WHERRY

PATENT AND TRADEMARK ATTORNEYS
 FOUNDED 1879
 111 MONUMENT CIRCLE, SUITE 3700
 INDIANAPOLIS, INDIANA 46204-5137
 (317) 634-3456
 FAX (317) 637-7561
 www.uspatent.com

DOUGLAS G. GALLAGHER
 MARTA L. PUCKETT
 ELIZABETH A. SHUSTER
 TIMOTHY B. PAUL
 TERESA E. KNIGHT
 KRISTOPHER T. LYNCH
 WILLIAM A. MCKENNA*
 MARK T. STEPHENSON*
 JAMES R. BLAUFUSS
 *NOT ADMITTED TO PATENT BAR

C. DAVID EMHARDT
 JOSEPH A. NAUGHTON
 EDWARD E. SOWERS
 OF COUNSEL
 HAROLD R. WOODARD
 (1911-2003)



January 15, 2007

Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

ATTN: Decision and Certificate of Correction
 Branch of the Patent Issue Division

Certificate
JAN 23 2007
of Correction

Re: Request for Certificate of Correction of Patent (37 CFR § 1.322)
 U.S. Patent No. 7,082,828 B1
 Date: August 1, 2006
 Title: LASER MEASUREMENT OF LIQUID LEVEL IN A HOLDER
 Inventor(s): Larry C. Wilkins
 Our Ref. No.: 4090-156

Dear Sir:

A Certificate of Correction of the above-identified patent is respectfully requested to correct certain errors of a clerical or typographical nature which appear in the patent as issued.

The exact locations where the errors occur and the necessary corrections are indicated on the attached form PTO/SB/44 (10-96), which form as prepared is suitable for printing. It is believed that the errors as set out were made on the part of the Patent and Trademark Office. Therefore, we are not enclosing a remittance fee.

Please send the Certificate to Woodard, Emhardt, Moriarty, McNett & Henry, LLP, Chase Tower, 111 Monument Circle, Suite 3700, Indianapolis, Indiana 46204.

Sincerely yours,

Joseph A. Naughton, Reg. No. 9575-49
 Woodard, Emhardt, Moriarty, McNett & Henry LLP

Enclosure
 #439365

JAN 23 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,082,828 B1

Page 1 of 1

APPLICATION NO.: 10/799,221

ISSUE DATE : August 1, 2006

INVENTOR(S) : Larry C. Wilkins

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Title Page, under the Assignee section, line 2, change "Albany, IN (US)" to --New Albany, IN (US)--

In column 11, line 48, please change "said receiver has all upwardly opening" to --said receiver has an upwardly opening--

In column 12, line 47, please change "said target and determine the level" to --said target, and determine the level--

In column 13, line 21, please change "nism with rise and fill of the surface" to --nism with rise and fall of the surface--

MAILING ADDRESS OF SENDER:

Woodard, Emhardt, Moriarty, McNett & Henry LLP
Attention: Joseph A. Naughton, Reg. No. 9575-49
111 Monument Circle, Suite 3700
Indianapolis, IN 46204-5137
Our Ref. No.: 4090-156

PATENT NO. 7,082,828 B1

JAN 23 2007